

Crop(s)	Pulse crops
Disease(s)	Grey mould (<i>Botrytis</i>) and ascochyta

Resistance management strategy for:

Group 1	Methyl benzimidazole carbamates;
Group 2	Dicarboximide;
Group 3 + 11	Demethylation inhibitors (DMI) + Quinone outside inhibitor (QoI);
Group 7*	Succinate dehydrogenase inhibitors (SDHI);
Group 7 + 3	SDHI + DMI; and
Group 7 + 12	SDHI + phenylpyrroles (PP).

* Currently only available under temporary permit. Always check that permits are valid prior to use.

Guidelines

1. Not all listed products are registered for both diseases. Ensure the product is registered for the disease being targeted.
2. **Do not** apply more than two **Group 1, 2, 3+11, 7+3** or **7+12** sprays in one season (including seed treatment).
3. **Do not** apply more than two consecutive **Group 1, 2** or **7** sprays, including from season to season and seed treatments. The final foliar spray of the previous season should be considered when planning which fungicide group to use in seed treatments and the first foliar application. **Group 7** containing sprays should not make up more than one in every three of the spray program.
4. If a **Group 7** containing fungicide is used as a seed treatment, the first foliar fungicide used must not contain a **Group 7** fungicide.

* Currently only available under temporary permit. Always check permits are valid prior to use.

Please note:

This strategy is a guide only and does not endorse particular products, groups of products or cultural methods in terms of their performance. Always follow the product label for specific use instructions. While all effort has been made with the information supplied in this document, no responsibility, actual or implied, is taken for the day to day accuracy of product or active constituent specific information. Readers should check with the Australian Pesticides and Veterinary Medicines Authority's product database for contemporary information on products and actives. The database can be sourced through www.apvma.gov.au. The information given in this strategy is provided in good faith and without liability for loss or damage suffered as a result of its application and use. Advice given in this strategy is valid as of 22 July 2026. All previous versions of this strategy are now invalid.

