

Crop(s) **Tomato**
Disease(s) **Powdery mildew**

Resistance management strategy for:

Group 3	Demethylation inhibitor (DMI);
Group 3 + 11	DMI + Quinone outside Inhibitor (QoI);
Group 7	Succinate dehydrogenase inhibitors (SDHI);
Group 7 + 3	SDHI + DMI;
Group 7 + 11	SDHI + QoI;
Group 13	Aza-naphthalenes; and
Group 21	Quinone inside Inhibitor (QiI).

Guidelines

1. Apply fungicides before disease becomes established.
2. **Do not** apply more than four sprays of a **Group 3** containing fungicide per crop.
3. If applying **Group 7, 11, 13** or **21** containing fungicides, **do not** apply more than two consecutive sprays before changing to another group. **Do not** apply more than three applications of a **Group 7, 11, 13** or **21** containing fungicide per crop. If consecutive sprays are used, then use the same number of sprays of an alternative group before using another **fungicide group**, which includes sprays from consecutive crops.
4. **Group 7** and **21** containing product should not exceed thirty-three percent (33%) of the total sprays per crop. A maximum of five applications of **Group 21** may be made per calendar year in case of multiple cropping cycles.

Please note:

This strategy is a guide only and does not endorse particular products, groups of products or cultural methods in terms of their performance. Always follow the product label for specific use instructions. While all effort has been made with the information supplied in this document, no responsibility, actual or implied, is taken for the day to day accuracy of product or active constituent specific information. Readers should check with the Australian Pesticides and Veterinary Medicines Authority's product database for contemporary information on products and actives. The database can be sourced through www.apvma.gov.au. The information given in this strategy is provided in good faith and without liability for loss or damage suffered as a result of its application and use. Advice given in this strategy is valid as of 22 July 2026. All previous versions of this strategy are now invalid.

